Date to go I 49.89:82/47-1/map C 4

MMS 86-0011
FWS/OBS-82/47.1

MAP C4

Fort Walton Beach

FLORIDA ECOLOGICAL ATLAS

SOILS AND LANDFORMS





SOILS AND LANDFORMS

ORIGINAL

Scale 1:100 000

TOPICAL MAPS IN THIS ATLAS:

A. BIOLOGICAL RESOURCES
B. SOCIOECONOMIC FEATURES
C. SOILS AND LANDFORMS
D. OIL, GAS AND MINERALS
E. HYDROLOGY AND CLIMATOLOGY

1984

Produced by U.S. Fish and Wildlife Service and Minerals Management Service

Projection and 10,000 meter grid, zone 17, Universal



Produced by U.S. Fish and Wildlife Service and Minerals Management Service

Projection and 10,000 meter grid, zone 17: Universal Transverse Mercator
25,000-foot grid ticks based on Florida coordinate system, west zone

Overlay material compiled in 1982 from latest available data obtained from Federal, State and Local government agencies and other sources.

MAJOR SURFACE LANDFORMS

Western Highlands	Fountain Slope
Escambia Valley	Grand Ridge
Gulf Coastal Lowlands	Northern Highlands
Gulf Barrier Chain	Coastal Swamps
Marianna Lowlands	Brooksville Ridge
New Hope Ridge	Western Valley
Greenhead Slope	

SOIL ASSOCIATIONS

1. Lakeland-Eustis-Lakewood Association
2. Lakeland-Fuquay-Orangeburg-Lucy-Gainesville-Carrington and Cahaba Association
3. Red Bay-Blakely Association
4. Norfolk-Ruston-Savannah Association
5. Norfolk-Ruston-Savannah Association
6. Tifton-Irvington-Lynchburg Association
7. Kinston Association
8. Dothan-Fuquay-Orangeburg Association
9. Plummer-Rutlege-Allanton-Leon-Tidal Marsh Association
10. Plummer-Rutlege-Allanton-Leon-Fresh Water Swamp-Donovan-Pamlico Association
11. Lakeland-Pasco-Kendrick-St. Lucie-Riviera Association
12. Lakeland-Tavares Association
13. Zolfo-Immokalee Association
14. Zolfo-Orangeburg Association

1. Titan Carnage Facevile Association
2. Titan Hodgson Lynchburg Association
3. Titan Hodgson Lynchburg Association
4. Titan Carnage Facevile Association
5. Titan Hodgson Lynchburg Association
6. Titan Hodgson Lynchburg Association
7. Kita Lawr Association
8. Huicalaw Kalma Legato Association
9. Coastal Dune Land and Beach-Tidal Marsh Association
10. Fresh Water Swamp, Shallow to Limestone Water
11. Swamp Dunmyr Pantoja Association
12. Lakeland Pasta-Kurak-St. Lucie-Rimini Association
13. Lakeland Tioga Association
14. Tioga Orangeburg Association
15. Lakeland Tioga Association
16. Red Bay Lucy Association
17. Chipley Scranton Association
18. Lakeland Tioga Association
19. Salt Water Marsh-Open Ocean Association
20. Fodera Ora Titan Association
21. Dothan Orangeburg Tifton Association
22. Lakeland Faceville Association
23. Lakeland Tioga Association
24. Ardilla-Lucknut-Dothan Association
25. Titan Faceville Orangeburg Association
26. Norfolk-Ruston-Goldsboro Association
27. Titan Faceville Marlboro Association
28. Titan Faceville Orangeburg Association
29. Blanton-Clay Plummer Association
30. Goldsboro Lynchburg Rains Association
31. Kureh Rexroy-Marsden Association
32. Lakeland-Foxworth Centenary Association
33. Titan Faceville Orangeburg Association
34. Harrison Chipley-Albany Association
35. Pottsburg Lawn Ruffegs Association
36. Titan Faceville Orangeburg Association
37. Ruffegs-Wahee-Pickney Association
38. Chipley-Albany Dothan Association
39. Leon-Albany Plummer Chipley Cove Association
40. Dothan Bladen Association
41. Titan Faceville Orangeburg Association
42. Ardilla-Lucknut-Faceville Association
43. Chipley-Albany Blanton Association
44. Leon-Felda Mariner Association
45. Dothan Orangeburg Red Bay Association
46. Titan Faceville Orangeburg Association
47. Orangeburg Lucy Dothan Association
48. Chipley-Albany Plummer Association
49. Leon-Rimini-Ruffegs Association
50. Wahee-Pickney-Ruffegs Association
51. Mineola, var. Felda, Var Clarkland Var. Association
52. Fresh Water Swamp, Shallow to Limestone Association
53. Salt Water Marsh and Swamp Coastal Dunes Association
54. Chipley-Albany Blanton Association
55. Chipley Blanton Swamp Association
56. Adamsville, var. Chiefland Blanton Association
57. Candler Apopka Association
58. Jonesville-Chiefland Archer Association
59. Jonesville-Chiefland Archer Association
60. Fernando Archer Chiefland Association
61. Spar Lochloosa Tavares Association
62. Adamsville Zolfo Association
63. Bushnell Wabasso Felda Association

THE FLORIDA ECOLOGICAL ATLAS WAS PRODUCED BY THE U.S. FISH AND WILDLIFE SERVICE DIVISION OF ECOLOGICAL SERVICES, ATLANTA, GEORGIA, ENDANGERED SPECIES TEAM (FWS / OBS - 82-47) AND THE MINERALS MANAGEMENT SERVICE FOR COASTAL ECOSYSTEMS PROGRAM (MMS - 85-0093). THE ATLAS WAS DESIGNED TO HELP EVALUATE CHANGE AND TO RESOLVE CONFLICTS AMONG LAND USES, FISH AND WILDLIFE REQUIREMENTS, AND THE MAINTENANCE OF ECOLOGICAL DIVERSITY IN THE COASTAL ZONE OF FLORIDA. THE ATLAS COVERS THE COUNTIES OF ESCAMBIA, OKALOOSA, WALTON, WASHINGTON, BAY, CALHOUN, GULF, FRANKLIN, WAKULLA, JEFFERSON, TAYLOR, DIXIE, LEVY, CITRUS, AND HERNANDO, AND EXTENDS APPROXIMATELY 3 NAUTICAL MILES OFFSHORE. THE MAPS ARE THE PRIMARY OR ONLY PRODUCTS OF THIS STUDY. TO DEFINE THE LIMITS OF PROPRIETARY INTEREST OF THE UNITED STATES, OR TO DETERMINE THE LOCATION OF ANY BOUNDARY OR THE GEOGRAPHICAL SCOPE OF THE REGULATORY PROGRAMS OF GOVERNMENT AGENCIES.

THIS MAP HAS BEEN COMPILED FROM A VARIETY OF SOURCE MATERIALS OF VARYING ACCURACY AND RELIABILITY. USERS ARE CAUTIONED THAT THE CONTENTS CONTAIN GENERALIZED LOCATIONS OF RESOURCES AND OTHER MAPPED FEATURES. THE USER SHOULD NOT RELY ON THESE MAPS FOR PRECISE MEASUREMENTS OF DISTANCES OR AREAS.

PRIMARY SOURCES OF MAPPED INFORMATION:

LAND/WATER: Photographic Map of Florida, 1:40,000 Scale, Black and White, 1980.

SOILS: General Soils Map of Florida, 1:1,000,000 Scale, 1975; and General Soils Atlas of Florida, U.S. Geological Survey, various dates.

ACTIVE DUNES: Black and White Aerial Photographs, 1:80,000 Scale, Mark Hurd Aerial Surveys Inc., 1980; and Topographic Maps, 1:24,000 Scale, U.S. Geological Survey, various dates.

GEOLOGIC FAULTS: Map of Seamlins and Some Real Overtime Showing Contours on top of the Lower Limestone of the Floridan Aquifer, Water Survey of Geology, 1980.

FOR COMPLETE REFERENCES SEE MAP NARRATIVE

9. Coastal Dune Land and Beach Tidal Marsh Association: Nearly level to gently sloping, moderately well to somewhat poorly drained soils subject to frequent flooding by tidal waters and gently sloping, sandy soils not subject to flooding by tidal waters.

10. Plummer-Refuge-Allanad Land Fresh Water Swamp-Clarnson-Pamlico Association: Nearly level, poorly drained soils with a thick surface layer underlying a loamy subsoil and very poorly drained soils that are sandy throughout.

11. Lakeland-Troup-Kendall-St. Lucie-Rester Association: Nearly level to steep, excessively drained soils, sandy throughout.

12. Lakeland-Troup Association: Nearly level to steep, excessively drained soils, sandy throughout, and well drained soils with very thick sandy layers over loamy subsoil.

13. Dupont-Dunes Association: Nearly level to gently sloping, moderately well to somewhat poorly drained soils.

14. Duplex-Albany-Leon Association: Nearly level to gently sloping, moderately well drained soils, sandy throughout, somewhat poorly drained soils with very thick sands layers over loamy subsoils, and poorly drained sandy soils with weakly cemented sandy subsoil.

15. Albany-Lakeland-Bonneau Association: Nearly level to gently sloping, moderately well drained and moderately well drained sandy soils with loamy subsoil.

16. Kureb-Resota-Blankton Association: Nearly level, gently sloping, excessively drained and moderately well drained soils, sandy to depths of 80 inches or more, some of which have organic stained sandy layers.

17. Lakeland-Fuquay-Carnsbury Association: Nearly level to sloping, excessively drained and moderately well drained soils, sandy to depths of 80 inches or more, some of which have organic stained sandy layers.

18. Duplex-Albany-Lucy Association: Nearly level to gently sloping, moderately well drained and somewhat poorly drained soils with very thick sands layers over loamy subsoils.

19. Albany-Lakeland-Bonneau Association: Nearly level to gently sloping, moderately well drained and moderately well drained sandy soils with loamy subsoil.

20. Kureb-Resota-Blankton Association: Nearly level, gently sloping, excessively drained and moderately well drained soils, sandy to depths of 80 inches or more, some of which have organic stained sandy layers.

21. Lakeland-Fuquay-Carnsbury Association: Nearly level to sloping, excessively drained and moderately well drained soils, sandy to depths of 80 inches or more, some of which have organic stained sandy layers.

33. Hurricane-Duplex-Albany Association: Nearly level to gently sloping, moderately well drained and somewhat poorly drained soils with very thick sandy throughout and some sandy to depths of 80 inches or more and loamy below.

34. Fortsberg-Leon-Refuge Association: Nearly level, poorly drained soils sandy to depths of 80 inches and some with organic stained sandy layers.

E = ft/yr — BEACH EROSION AREA (Period of Record: 1957-1981; Univ. of West Florida, 1981)

A = ft/yr — BEACH ACCRETION AREA (Period of Record: 1957-1981; Univ. of West Florida, 1981)

GULF BARRIER ISLAND

ACTIVE DUNE AREA

U / D — NORMAL FAULT (Showing relative vertical movement; U. up, and D. down)

U / D — SUB-SURFACE NORMAL FAULT (Showing relative vertical movement; U. up, and D. down)

STUDY AREA BOUNDARY

State

Inland (County)

Inland (State)

1 Escambia-Perdido Bay Association
2 Escambia-Perdido Bay Association
3 Escambia-Perdido Bay Association
4 Escambia-Perdido Bay Association
5 Escambia-Perdido Bay Association
6 Escambia-Perdido Bay Association
7 Escambia-Perdido Bay Association
8 Escambia-Perdido Bay Association
9 Escambia-Perdido Bay Association
10 Escambia-Perdido Bay Association